

# 1093133 | SPEEDER2 concrete drill bit with 2 cutters - L260 mm - Centring tip - Quadruple flute - SDS+ TECHNIC (Hanging SDS clip)

High-performance drill bit for the incredibly fast and precise drilling of vibrated concrete and rocks, thanks to its quadruple fluting and its cutting insert with centring point.




- Especially for high-strength concretes and stone
- Incredibly fast drilling
- Deep and through-drilling
- Precise drilling
- Superior long life
  
- SDS+ shank
- High-strength steel
- Multi-faceted
- Centring point

### Machine



### Application



### Features



### Properties and benefits

- + SDS+ shank: attachment for SDS+ hammer drills (10 mm shank diameter) compliant with the SDS+ label, up to a power of 3 joules. ➡ Maximum striking power transmission for the simple and fast processing of the most difficult materials. For bits measuring 4 to 25 mm.
- + High strength steel body: body designed in a grade of steel designed for thermal processing, enabling excellent power and torque transmission. ➡ Enables optimal power and torque transmission to the head of the tool.
- + Multi-faceted cutting insert: carbide cutting insert designed with multiple facets, promoting the effective splitting of the materials ➡ Enables the excellent splitting of materials into dust, thus facilitating their extraction.
- + Centring point: carbide cutting insert designed with an integrated centring point at its centre. ➡ Enables the easy centring of the drill, particularly in coarse materials. Excellent drilling precision.



Code	EAN	Ø	d2/CM	L	l	lu	QTY	PCB
10931330800	3221912049162	8	SDS +	260	200		1	1
10931331000	3221912049179	10	SDS +	260	200		1	1
10931331200	3221912049186	12	SDS +	260	200		1	1
10931331400	3221912049193	14	SDS +	260	200		1	1
10931331500	3221912049209	15	SDS +	260	200		1	1
10931331600	3221912049216	16	SDS +	260	200		1	1
10931331800	3221912049223	18	SDS +	250	190		1	1
10931332000	3221912049230	20	SDS +	300	240		1	1
10931332200	3221912049247	22	SDS +	300	240		1	1
10931332500	3221912049254	25	SDS +	300	240		1	1