

Cobalt 8% BiM hole saw, ideal for drilling stainless steel, steels, cast iron, aluminium Clean and quick cutting, reduction of vibrations.

- Alternate top bevel
- 8% cobalt steel tothing
- Variable teeth




7 bi-metal cobalt 8% hole saws Ø 19 - 25 - 32 - 38 - 44 - 57 mm + 2 hexagonal shank bi-metal pilots Ø14>30 mm / Ø32>152 mm + 1 Allen key

Machine



Application



Features



Properties and benefits

- + Alternating teeth: teeth spaces alternating from left to right. ⤴ Facilitates the cutting and removal of particles and prevents the blockage of the saw during cutting.
- + Bi-metal cobalt 8%: combination of teeth made from quick-cutting tempered steel (HSS) enriched with cobalt, and the the body made from HCS. ⤴ These blades offer high strength, versatility, and durability. Ideal for intensive work, in the strongest of materials.
- + Variable tothing: design whereby the teeth are positioned with irregular gaps (itches) and with alternating small and large teeth with different gap sizes. ⤴ Enables the cutting of a wide range of different materials. Reduces the risk of teeth breaking and reduces vibrations when cutting.

Données de gestion :

PCB : 1 / Kilogram. : 1,596 / Dimensions : 0265x0200x0070 mm / EAN : 3221912287281