


**XT50527052700 | 9-piece case - 6 HSS bi-metal hole saws  
Ø 22 to 68 mm + 2 pilot shafts + 1 adapter**

Tools made of bi-metal HSS steel Speed and precision thanks to their variable pitch teeth.



- HSS toothing
- Variable teeth
- Alternate top bevel

6 bi-metal HSS hole saws Ø 22 - 29 - 35 - 38 - 44 - 51 - 68 mm + 2 hexagonal shank pilot shafts + 1 adapter

**Machine****Application**

Metal

Plastic

**Features****Properties and benefits**

- + Bi-metal steel blade: combination of progressive toothing made from quick-cutting tempered steel (HSS), and the body made from high-strength carbon steel (HCS). ➡ Very flexible, used when there is a risk that the attachment will break. Very high resistance to wear, for a longer service life.
- + Variable toothing: design whereby the teeth are positioned with irregular gaps (pitches) and with alternating small and large teeth with different gap sizes. ➡ Enables the cutting of a wide range of different materials. Reduces the risk of teeth breaking and reduces vibrations when cutting.
- + Alternating teeth: teeth spaces alternating from left to right. ➡ Facilitates the cutting and removal of particles and prevents the blockage of the saw during cutting.

**Données de gestion :**

PCB : 1 / Kilogram. : 1,217 / Dimensions : 0260x0300x0076 mm / EAN : 3128820527006